

Bry-Air® ^{Super}**BrySmart**® series
Dehumidifiers



Bry-Air® ^{Super}**BrySmart**® series (BBS) Dehumidifiers
Designed for
Continuously Optimized **Dynamic Specific Performance (DSP™)**

Super **Bry-Air**® **BrySmart**® series (BBS) Dehumidifiers

embedded with Patented* BrySmart® and BryTherm™ Technologies

The Future is Here!

integrating 4.0 tomorrow based concepts & technologies**

- 1 Embedded with patented* BrySmart® Technology**
 - Energy saving upto 48%
 - Optimized Dehumidifier performance
 - Reduced annual energy consumption
 - Lower energy usage & maintenance cost
 - Green technology
- 2 DSP™... Dynamic Specific Performance**

Continuously senses and monitors temperature at varying locations in the rotor thus providing data for continuously optimizing performance
- 3 Embedded with patented* BryTherm™ Technology**
 - Ensures maximum flexibility in operation
 - User has the option to control parameter
- 4 Incorporating BHP™ (Bry-Air High Performance) Rotor with special Geometry and Chemistry**

The customized rotor delivers an additional energy saving of upto 20% by reducing initial react energy input for equivalent performance of standard dehumidifiers.
- 5 Optional... Bry-Air Prognos™**

Most advanced tool for predictive failure/maintenance... the new world order for continuously diagnosing and forecasting component failure e.g. heater, drivers, switchgears, etc.

**

What is 4.0?...

Industry 4.0 is the next phase in the digitization of the manufacturing sector. It introduces what has been called the "smart factory," in which cyber-physical systems monitor the physical processes of the factory and make decentralized decisions. The physical systems become Internet of Things, communicating and cooperating both with each other and with humans in real time via the wireless web.

*BrySmart® and BryTherm™ are proprietary technologies of Bry-Air and is patent protected in several jurisdictions. Details are available at www.pahwa.com




Upto **48%**
+
Additional **20%**
Energy Savings

BrySmart®

US Patent No.: 8328904
Japan Patent No.: 6325190
South Korea Patent No.: 10-1408990
Canada Patent No.: 2703150
Mexico Patent No.: 318916
China Patent No.: ZL201080020064.8
South Africa Patent No.: 2011/07893
Australia Patent No.: 2010245643
India Patent No.: 304559
Europe Patent No.: - 2427698
Brazil Patent.: PI 1007585
WO2010128522




Real Time Energy Optimization



BryTherm™

US Patent No.: 9777933
Europe Patent No.: 2764296
Japan Patent No.: 6243336
South Africa Patent No.: 2014/01826
Australia Patent No.: 2012310095
India Patent No.: 350040
Brazil Patent No.: 112014005685



Key Features

- No top-up heater required
- Special algorithm to collectively modulate rotor speed, reactivating airflow, temperature and process bypass
- RS232 and RS485 communication ports
- Ethernet port
- 7 inch colour touch panel for easy operation/control
- Bacnet/modbus communication protocol
- Remote start/stop facility to switch on/off the dehumidifier from a remote location
- Remote fault warning output

Helps in your march towards achieving



ISO 50001 is based on the management system model of continual improvement helping organization to better manage their energy usage.

Designed as per the new proposed ASHRAE Standards that states Specific Performance as moisture removal: kg/hr/kW the BBS Technology not only optimizes the specific performance but also optimizes the specific performance on a dynamic basis with constantly changing loads and environmental conditions.

Advantage:

Bry-Air®

Super

BrySmart® series (BBS) Dehumidifiers

- Upto 48% energy saving
- Faster return on investment (ROI)
- Lowest cost of ownership
- Designed aesthetically for ruggedness and long life


The BBS modulates various critical components to optimize the energy consumption on a continuous basis. This technology is a step forward in energy conservation through enhanced automation (on real time).

The BBS uses Variable Frequency Drives (VFDs) on various motors, thyristor control for heaters and also includes mobile connectivity for sensor monitoring, controlling and data logging.

Advantage with



- Adsorbent, non-toxic, non-flammable, fully water washable
- In-situ synthesized metal silicate desiccant on an inert inorganic fiber substrate
- Active desiccant 80% of the media weight, so as to ensure high performance and minimal heat carry-over
- Rotor is non-flammable. The net organics in the honeycomb media is less than 2%
- Special edge hardened media surface to ensure a smooth surface and long life of both, media and the seal contacting it
- Rotor perimeter flange extends media and seal life
- Rotor incorporates robust internal structure with perimeter flange for industrial quality, durability and easy serviceability



Remote Control and Monitoring through Android devices for Bry-Air Dehumidifiers



Bry-Air®

Leaders in Dehumidification... Worldwide

BRY-AIR (ASIA) PVT. LTD.

Corporate Office:
21C, Sector-18, Gurugram 122015
Phone: +91-124-4091111
Fax: +91-124-4091100
E-mail: bryairmarketing@pahwa.com

Registered Office:
20, Rajpur Road, Delhi 110054
Phone: +91-11-23906666
Fax: +91-11-23906600
E-mail: enquiry@pahwa.com
Web: www.bryair.com
CIN: U74210DL1981PTC012456

City	Phone
DELHI	+91-11-23906666
CHANDIGARH	+91-172-4678806/7
MUMBAI	+91-22-24935155/2494745
VADODARA	+91-265-2351493
KOLKATA	+91-33-22814841/22814877
BENGALURU	+91-80-43025562/3/4/5
HYDERABAD	+91-40-27154243
CHENNAI	+91-44-26163820/29/40
KOCHI	+91-484-2395940

E-mail
enquire@pahwa.com
bryairchandigarh@pahwa.com
bryairmumbai@pahwa.com
bryairvadodara@pahwa.com
bryairkolkata@pahwa.com
bryairbangalore@pahwa.com
bryairhyderabad@pahwa.com
bryairchennai@pahwa.com
bryairkochi@pahwa.com

BRY-AIR (USA)
Phone: +1-740-965-2974
Fax: +1-740-965-5470
E-mail: bryair1@bry-air.com
Website: www.bry-air.com

BRY-AIR (CHINA)
Phone: +86-21-34126537
E-mail: info@bryair.com.cn
Website: www.bryair.com.cn

BRY-AIR (MALAYSIA)
Phone: +60-3-89256622
Fax: +60-3-89259957
E-mail: bryair@bryair.com.my
Website: www.bryair.com.my

BRY-AIR (BRAZIL)
Phone: +55-41-36982222
E-mail: contato@bryair.com.br
Website: www.bryair.com.br

Country
BRY-AIR (UAE)
BRY-AIR (PHILIPPINES)
BRY-AIR (INDONESIA)
BRY-AIR (VIETNAM)
BRY-AIR (NIGERIA)
BRY-AIR (SWITZERLAND)
BRY-AIR (BANGLADESH)

Phone
+971-6-5574622
+63-2-8078436
+62-21-79199023
+84-8-39956498
+234-8097276772
+41-91-6830971
+880-1819409100

E-mail
support@bryair.ae
mail@bryair.com.ph
indomark@bryair.com.my
vietmarketing@bryair.com
bryairnigeria@pahwa.com
info@pro-kon.ch
bryairbangladesh@pahwa.com

Website
www.bryair.com/uae
www.bryair.com/philippines
www.bryair.com/my/indonesia
www.bryair.com/my/vietnam
www.bryair.com/nigeria
www.bryairprokon.com
www.bryair.com/bangladesh